



HARDWARE PRODUCTS

FENCE GUTTER & FACIA TOUCH UP PAINT

Galmet Fence, Gutter, Fascia (FGF) is a durable exterior acrylic spraypaint specifically designed for touching up scratched or damaged Colorbond® steel surfaces.

Available in a range of Colorbond® colours.

Size: 350gm Aerosol



OTHER GALMET PRODUCTS

	CODE	COLOUR	AEROSOL SIZE
SPRAY PAINT			
SPFB		Flat Black	350gm
SPSI		Silver	350gm
SPSR		Signal Red	350gm
SPWH		White	350gm
ANTI CORROSIVE PRIMERS			
SPEP		Keytite Etch Primer	350gm
PROTECTIVE COATINGS			
SPD		Duragal	350gm
RUST PREVENTATIVE			
SPCOLD		Cold Galvanizing	400gm
Dy-Mark Zinc Guard Cold Galvanising Coating			
		SPCOLDDYMARK	400gm



It is designed to etch and bond to ferrous and non-ferrous metals.

Galmet® Duragal® is quick drying, bright silver coloured aluminium rich paint which provides the appearance of new DuraGal® Steel or hot-dip galvanized surface. The high aluminium content provides corrosion protection by creating a superior barrier to moisture & other corrosive agents compared to conventional bright silver paints.

It is an organic rich zinc coating with approximately 92% zinc in dry film. Provides long term protection to iron and steel.



HAND TOOLS

WISS SNIPS - METALMASTER SNIPS

- Non-slip serrated jaws of Wiss Metalmaster Snips are made of extra tough wear resistant molybdenum steel.
- Jaws provide extra service demanded by the compound lever action.
- Wiss Snips withstand the severe strain of cutting heavy stock and tight curves.
- Jaws have self-opening action for fast, effortless feed.
- Handles formed from high strength steel.
- Grips are non-slip and textured for superior control, safety and comfort.
- Convenient protective safety latch. • Handles with handy hang-up holes.
- Favorite tool of metal-working craftsmen. • Cutting capacity 18 gauge (1.2mm)



CODE	DESCRIPTION
M1R	Cuts Left Red Grips
M2R	Cuts Right Green Grips
M3R	Cuts Straight Yellow Grips

MULTIMASTER SNIPS PRICE


Compound action, 3" long blade for making long cuts in a wide range of materials
Cuts up to 20 guage low carbon cold rolled steel.



M300 Cuts Straight, Left & Right Orange Grips

SPARE WISS SNIP SPRINGS

P406	SUITS M1R/3R/5R/6R
P407	SUITS M2R/7R



SPARE WISS SNIP SPRINGS

WLP	Leather pouch suitable for Wiss Snips
-----	---------------------------------------



WISS HAND SEAMERS

WS3	3" Hand Seamer Straight
WS6	6" Hand Seamer Straight
WC5S	HAND CRIMPER 5-BLADE 1-1/4" THROAT DEPTHG



WS3



WS6



WC5S



HAND TOOLS

MIDWEST SNIPS



MIDWEST SNIPS - OFF-SET SNIPS

Off-set models in three patterns keep user's hand above material being cut and flow material away from blades for ease of cut. They have the capacity of cutting 18 gauge cold-rolled sheet metal and 22 gauge stainless steel metal.

P6510L	Cuts Left Red Grips
P6510R	Cuts Right Green Grips
P6510S	Cuts Right straight Grips

part number	picture	cutting length / capacity
MWP6510-L		1-1/4" (31.8mm)
MWP6510-S		1-1/2" (38.1mm)
MWP6510-R		1-1/4" (31.8mm)



STERLING AVIATION SNIPS



CODE	DESCRIPTION
29-851	Cuts Left Red Grips
29-852	Cuts Right Green Grips
29-853	Cuts Straight Yellow Grips



STERLING BLACK PANTHER SNIPS

Sterling's Black Panther 700 series precision snips are produced to the highest levels of engineering with a total commitment to develop the most durable and refined industrial snip on the market. Ideal for all industrial applications including wire netting, light gauge aluminium, carpet, leather, Kevlar®, and many other items.

- 185mm (7") black handled snips
- Comfort grip ergonomically designed handles
- Stainless Steel serrated edge blades for increased cutting capacity
- Ideal for multiple applications from thin wire to Kevlar®
- Ideal knife replacement tool

CODE
29-701



HAND TOOLS

SCREWDRIVERS



Acetate Handled



●Standard Tip (Slot)

Code	Description
65.545	3mm x 45mm
65.542	5mm x 100mm
65.548	6mm x 200mm
65.553	10mm x 250mm



●Phillips Tip

Code	Description
65.522	#1 Phil x 100mm
65.585	#2 Phil x 200mm
65.525	#3 Phil x 150mm

Acetate Handled Insulated



●Standard Tip (Slot)

Code	Description
65.580	5mm x 150mm



●Phillips Tip

Code	Description
65.576	#2 Phil x 150mm

Screwdriver Sets

Case Acetate Screwdriver set (T186) - 14 Pce



Code	Contains
65.750	#1 Phil x 38mm #0 Phil x 60mm #1 Phil x 100mm #2 Phil x 150mm #3 Phil x 150mm #2 Phil x 200mm 6mm Slot x 38mm 3mm Slot x 45mm 4mm Slot x 75mm 5mm Slot x 100mm 6mm Slot x 150mm 6mm Slot x 38mm 8mm Slot x 200mm 10mm Slot x 250mm 5mm Slot x 150mm Insul



Radiator Hose Clamp Tool

Adjustable Wrenches - Chrome



- Strong Flexible shaft allows access to hard-to-get at positions.
- Supplied with 1/4" (6mm), 9/32"(7mm), 5/16"(8mm) sockets.

Code	Description
70679	



Code	Size
87.431	150mm
87.432	200mm
87.433	250mm
87.434	300mm

HAND TOOLS

PLIERS HIGH VOLTAGE - S SERIES 1000V

Crescent®

Pliers



●Diagonal Cutting Pliers

Code	Description
CHV5428	200mm



●Combination Pliers

Code	Description
CHV508	200mm



●Long Nose Pliers

Code	Description
CHV6548	200mm



●Multi-Grip Pliers

Code	Description
CHV410	250mm

Heavy Duty End Cutting

Wire Strippers



●End Cutting Nippers - Cushion Grip

Code	Description
72-9CVN	230mm



●Wire Strippers

Code	Description
CWS1	Cuts & Strips 24-10 AWG

Crimping Tools

Conduit Cutters



●Crimping Tools

Code	Description
Non Insulated Terminals	
CCT8	22-8AWG 0.5-10mm
Insulated Terminals	
CCT10	22-10AWG 0.5-6mm



●Conduit Cutters

Code	Description
CCC42	Cuts 3 - 42mm

HAND TOOLS

CODE	Overall Length mm	Jaw Capacity
CURVED JAW WITH WIRE CUTTER		
C7CVN	175mm	42mm
C10CVN	250mm	48mm
LONG NOSE WITH WIRE CUTTER		
C6NVN	150mm	58mm
C9NVN	230mm	73mm
C-CLAMPS SWIVEL PADS		
C6CCSVN	150mm	73mm
C11CCSVN	280mm	102mm
SHEET METAL TOOL		
C8SMVN	200mm	19mm

Crescent®



Sterling

ULTIMAX BAR CLAMPS

- Cushion tips grip firmly for added protection on soft materials
- Ergonomic nylon handles with ribbed design for extra grip
- Induction hardened steel rail ensures longer life
- Quick conversion from clamp to spreader
- Max. clamping force: 60kg

BC60-150	150MM
BC60-300	300MM
BC60-450	450MM



Sterling

STERING ULTIMAX WOOD CHISELS

- Forged steel core with through tang design for maximum striking force
- Extra large striking cap for repetitive use at any angle
- Fully hardened blade for professional use and long life
- Split proof acetate handle for reinforced toughness
- Ergonomic over moulded grip for added comfort

CHISELWOOD19	19MM
CHISELWOOD25	25MM





HAND TOOLS RING & OPEN END SPANNERS

Spanners

Crescent®



•Metric Spanners

Code	Size
SPANNERROE7	7mm
SPANNERROE8	8mm
SPANNERROE9	9mm
SPANNERROE10	10mm
SPANNERROE11	11mm
SPANNERROE12	12mm
SPANNERROE13	13mm
SPANNERROE14	14mm
SPANNERROE15	15mm
SPANNERROE16	16mm
SPANNERROE17	17mm
SPANNERROE18	18mm
SPANNERROE19	19mm
SPANNERROE20	20mm

•A/F Spanners

Code	Size
SPANNERROE1/4	1/4"
SPANNERROE5/16	5/16"
SPANNERROE3/8	3/8"
SPANNERROE7/16	7/16"
SPANNERROE1/2	1/2"
SPANNERROE9/16	9/16"
SPANNERROE5/8	5/8"
SPANNERROE11/16	11/16"
SPANNERROE3/4	3/4"
SPANNERROE13/16	13/16"
SPANNERROE7/8	7/8"
SPANNERROE15/16	15/16"
SPANNERROE1	1"

1/2" Drive Metric Sockets

•Metric Sockets

Code	Description
SOM8	8.0MM
SOM9	9.0MM
SODIM10	10.0MM
SOM11	11.0MM
SOM12	12.0MM
SOM13	13.0MM
SOM14	14.0MM
SOM15	15.0MM
SOM16	16.0MM
SOM17	17.0MM
SOM18	18.0MM
SOM19	19.0MM
SOM20	20.0MM
SOM21	21.0MM
SOM22	22.0MM
SOM23	23.0MM
SOM24	24.0MM

STANLEY



•Deep (Long) Impact Sockets

Code	Description
SODIM10	10.0MM
SODIM11	11.0MM
SODIM12	12.0MM
SODIM13	13.0MM
SODIM14	14.0MM
SODIM15	15.0MM
SODIM16	16.0MM
SODIM17	17.0MM
SODIM18	18.0MM
SODIM19	19.0MM
SODIM20	20.0MM
SODIM21	21.0MM
SODIM22	22.0MM
SODIM23	23.0MM
SODIM24	24.0MM
SODIM25	25.0MM
SODIM26	26.0MM



Ratchets & Extensions



•Ratchet

Code	Description
CRW12	1/2" Ratchet



•Extensions

Code	Description
CDTA11	1/2" x 75mm
CDTA12	1/2" x 125mm
CDTA13	1/2" x 250mm

HAND TOOLS

HAMMERS & MALLETS

Hammers



●Fibreglass Shaft Claw Hammer

Code	Size
51.061	20oz/570g



●Ball Pein Hammer Wooden Hickory Handle

Code	Size
11435	20oz/566g



●Hammer Cross Pein

Code	Size
SJ-CPH12	12oz (340g)



●Ball Pein Hammer Wooden Hickory Handle

Code	Size
54.193	OA 405mm 32oz



●Mallet Rubber - Fibreglass Handle

Code	Size
SJ-RM24FG	24oz (680g)



●Dead Blow Hammer

Code	Size
82240	18oz Polyurethane Head
82242	33oz Polyurethane Head



●Compo-Cast® Standard Head Dead Blow Hammer

Code	OA LTH	Size
57.532	327mm	595g
57.533	362mm	1.19kg



Non-sparking soft face hammer of Uni-Cast™ construction has no exposed metal. Soft faces do not mar surfaces or equipment. Do not absorb liquids. Dead blow function uses steel shot, steel reinforced handle provides added strength and safety, resists breaking on overstrike.



●Cold Chisels

Code	OA Length	Blade Width
16.286	140mm	10mm
16.287	150mm	12mm
16.288	170mm	16mm
16.289	175mm	18mm
16.290	200mm	22mm
16.291	300mm	25mm



●Wire Brush 4 Row Timber Handle

Code	Size
BRUSHWIRE	4 Row



●Wire Scratch Brush 0.3mm Steel Wire

Code
BRUSHWIREUNIV



HAND TOOLS

Allen Keys

WRENCH HEX

●Wrench Set - Short Series Metric

1.27, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Code	Description
03020113	Red



●Wrench Set - Short Series Imperial

1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32,
1/4, 5/16, 3/8"

Code	Size
03019917	Green

Soldering Irons

Weller



●40 Watt / 240 Volt Electric Soldering Iron

Code	Description
SP40DAU	40Watt

●80 Watt / 240 Volt Electric Soldering Iron

Code	Size
SP80DAU	80Watt



Crescent

Crescent Cable Ties



Code	Description	Pack Qty
100mm Length		
WB4100	Black 100mm x 2.5mm	100.00
200mm Length		
WB8100	Black 200mm x 4.6mm	100.00
300mm Length		
WB12100	Black 300mm x 4.8mm	100.00
WB12100HD	Black 300mm x 7.6mm Heavy Duty	100.00
370mm Length		
WB14100	Black 370mm x 4.8mm	100.00
CT370HD	Black 370mm x 7.6mm	100.00
450mm Length		
WB18100HD	Black 450mm x 8.0mm Heavy Duty	100.00



Sterling Single Edge Razor Blades


Used in the automotive, glazing and cleaning industries, the Sterling Single Edge razor blades are the most popular general purpose scraper blade.

30-112	Pkt 100
--------	---------



UTILITY KNIVES

CODE	DESCRIPTION
68	Retractable knife with snap-off blades 18mm Sterling
201-4	Replacement blade fits all 18mm snap-off knives card of 10
412-1	Safety Knife Auto-Retract Sideslide Sterling
412B-1	Replacement blade safety knife Auto-Retract Sideslide Pkt 10
119-2D	Knife trim retract with blades fluoro green/orange
STANLEYKNIFE	Retractable Utility Stanley knife Classic 10.099
3038	Stealth Knife Autoloading Sliding
11-700	STANLEY Knife blades heavy duty Fat Max Pkt 5
11-700T	STANLEY Knife blades heavy duty Fat Max Pkt 10
11-700A	STANLEY Knife blades heavy duty Fat Max box 100
921-2D	Knife blades with dispenser Sterling Pkt 100
5192	STANLEY Concave Knife blades heavy duty 0-11-952 Pkt 5
962-4D	Sterling Deep Hook blades Trimming Pkt 5
OLFA CUTTERS	
A	A professional cutter 9mm blade snap
L-1	Olfa's top selling snap blade cutter. For general use 18mm
XL-2	Extra long knife for extended reach 18mm blade
H-1	For extra heavy duty 25mm blade snap
LL	Heavy Duty two handed use 18mm Blade OLFA Knife
SPARE OLFA BLADES	
AB-10B	Standard snap blades 9mm Pkt 10
AB-50	Standard snap blades 9mm Pkt 50
LB-10B	Heavy duty snap blades 18mm Pkt 10
LB-50	Heavy duty snap blades 18mm Pkt 50
HB-5B	Extra heavy duty snap blades 25mm Pkt 5



HAND TOOLS

MEASURING & MARKING

Combination Square


Lufkin

- Brass knurl nut and scribe head
- Sturdy zinc sock
- Made in U.S.A
- Metric inch graduations.
- High visibility yellow



Code: LCS12

Rules Stainless Steel



- Hardened Stainless Steel rules
- Metric/imperial markings and metric only markings available
- ISO9001 certified manufacturer assures accuracy
- All markings are etched into the Stainless Steel for durability
- Metric only rules have conversion chart on back

Code: 3021-M 300mm Metric Only

Code: 3021 300mm/12in

Folding Rules

Lufkin

- LFBSI
- Sturdy folding rule with bevelled edge
- Clear markings
- 4 Fold 1 metre

Code: LFBSI



- LFSSI
- Clear markings
- Sturdy folding rule with square edge
- 4 Fold 1 metre

Code: LFSSI



Spirit Levels - Big Boss

Lufkin

Lufkin Level with carry bag 120cm

Code: LBBL120



Chalk Lines

Lufkin

Chalk & Reel Combo 30m
LCR30M

- ABS & TPR construction for increased durability
- 3:1 Wind ratio for quick retrieval
- High grade cotton line provides clear marking & long life
- Rubber moulded areas for improved grip
- 112g chalk refill included

Code: LCR30M



Chalk Powder Refills
224g



STANLEY

Aluminium Chalk Reel 30m
47-480L FATMAX

- Die-cast aluminium housing for durability
- 2X stronger premium polymer line
- 5:1 Gear ratio for 5X faster rewind
- Quick gear release clutch for smooth line retraction
- Stainless steel hook and crank handle for durability
- Chalk View case for viewing the chalk volume

Code: 47-480L



Blue
Code: LCBL224
Red
Code: LCRD224

MEASURING TAPES

ARS Tapes



Sterling

FLURO



Code	Description		
889	8m x 25mm Metric		

Code	Description		
V8025F	8m x 25mm Metric		

ARS Tapes



Ultimax Tape



TMX8025	8M X 25mm	Metric	
---------	-----------	--------	--

EZY-READ

- Ezy-Read Tapeline
- Each numeral on the tape is totally distinct from other numbers. This enables excellent definition & makes it easy to read.



- Manufactured in Australia

Code	Description		
ELW148SI10	8M X 25MM	Metric	

Hi-Viz Tapes

Crescent



Hi-Viz

Code	Description		
NT410SI	10M X 25MM	Metric	
NS30ME	30M/100' X 10MM	Metric/English	

Tape Trademx
Lufkin



Code	Description		
TM48M10	8M X 25MM	Metric	

FatMax® Tapes

STANLEY

FatMax® Tape

- Blade Armor™ coating is a patented industrial Thermoplastic coating. Its on the first 150mm of the FatMax™ Tape Rules for maximum durability and reduced blade breakage.
- Heavy duty Mylar Polyester film coating extends blade life up to ten times longer.
- FarMax™ tapes have a 32mm wide blade
- 3.3 metres of standout and easy to read graphics



Code	Description		
FATMAX	8M X 32MM 33-732	Metric	
FATMAX10M	10M X 32MM 33-829	Metric	

- Fibreglass open frame

Code	Description		
OF3013	30M X 13MM	Metric	

ADHESIVES

Bonding

LOCTITE

Instant Adhesive - Loctite 401

- Low viscosity and fast curing cyanoacrylate adhesive
- Can be used with PP primer 770 for polyolefin bonding
- Less dependant on surface moisture for cure speed than other standard CA grades.
- Temperature range: -55°C to +80°C
- Particularly suited for bonding a wide range of materials including metals, plastics and elastomers.

Code: 40124-25



Instant Adhesive - Loctite 406

- High strength and low viscosity cyanoacrylate
- Fast fixing time of 2 to 30 seconds
- Can be used with PP primer 770 for polyolefin bonding
- Temperature range: -55°C to +80°C
- General purpose adhesive for difficult top bond surfaces. Bonds Santoprene rubbers.

Code: 40633-25



Threadlocking LOCTITE



Loctite 222

- Low Strength

Code: 22250



Loctite 243

- Medium Strength

Code: 22250



Loctite 263

- High Strength

Code: 22250

Super Glue



- ◆ Superior adhesion
- ◆ Instant bonding
- ◆ Bond most materials
- ◆ No drip formulation
- ◆ A range of pack options including strip 12 pack

SUPER GLUE V-TECH 3gm

Code: VT112V



Bonding of metal, timber, plastic, ceramic, glass & fiberglass.

Excellent resistance to most chemicals

- ◆ Clear in colour
- ◆ Rapid set
- ◆ High strength
- ◆ 2 part formula

EPOXY GLUE RAPID 3 TON 4MIN V-TECH 25ML

Code: VT146

TAPES

Electrical Insulating Tape

- Black 18mm x 20mtrs



Code	Description
2110	Black

PVC Duct Tape - Nitto

- Black 48mm x 30mtrs
- Grey 48mm x 30mtrs



Code	Description
DUCTTAPEB	Black
DUCTTAPEG	Grey

Gaffer Tape 357

- Grey 48mm x 40mtrs



Code	Description
GAFFER	Grey

Masking Tape

- 24mm x 50mtrs
- 48mm x 50mtrs



Code	Description
MASKTAPE24	
MASKTAPE48	

Stylus 973 Reinforced Aluminium Foil

- Tape 48mm x 50mtrs
- Tape 72mm x 50mtrs



Code	Description
FOILTAPE48	48mmx50mtrs
FOILTAPE72	72mmx50mtrs

Stylus 740 Tissue Tape Double Sided

- Hi-tack acrylic adhesive
- 24m x 33mtrs
- 48m x 33mtrs



Code	Description
5238	12mm x 33mtrs
5242	24mm x 33mtrs
5246	48mm x 33mtrs

PACKING TAPE 0903 101 NACHI TRANS

- Tape 48mm x 75mtrs



Code
TAPEPACK4875

STRETCH FILM ROLL

- 500mm x 380mtrs x 25UM



Code
STRETCHFILM

TAPE 370 GENERAL PURPOSE CLOTH YELLOW

- Tape 48mm x 25mtrs



Code
2591

MASKING TAPE YELLOW JOYNA 223

- Tape 48mm x 50mtrs



Code
MASKTAPEY48

TAPES

3M™ VHB™ Tape 4991 Grey

- Grey 12mm x 3.0mm x 33mtrs

3M VHB Acrylic Foam Tape is a double coated 2.3mm pressure sensitive adhesive tape for bonding many painted metals, as well as unpainted metals, and higher surface energy plastics. 3B VHB Acrylic Foam Tape 4991 is appropriate for applications which demand a thicker conformable products.



Code	Description
DST12VHB4991	Grey

Body Mould Tape 2830

- 12mm x 61mtrs

This is an automotive specific tape ideal for attaching vehicle body side mouldings, trim and emblems. Strong bonding and easy to use simply cut the tape to size leaving no mess. Very high strength double sided adhesive.



Code	Description
AT235431	Body Mould Tape

Engineers Chalk - Large Stick

- Economical and semi-permanent marking
- Ideal for industrial grade applications
- Quick and easy to layout jobs



Code	Description	Box Qty
ENGCHALK	80x10x10mm	50

Split Cotter Pins - Steel Z/P

Code	Size	Box Qty
CP216	M2.0 X 16	200
CP2525	M2.5 X 25	200
CP2532	M2.5 X 32	200
CP3220	M3.2 X 20	200
CP3225	M3.2 X 25	200
CP3232	M3.2 X 32	200
CP3236	M3.2 X 36	200
CP3250	M3.2 X 50	200
CP3256	M3.2 X 56	200
CP420	M4.0 X 20	200
CP436	M4.0 X 36	200
CP440	M4.0 X 40	200
CP450	M4.0 X 50	200
CP463	M4.0 X 63	200
CP532	M5.0 X 32	200
CP556	M5.0 X 56	200
CP571	M5.0 X 71	200
CP580	M5.0 X 80	200



LUBRICANTS & PENETRANTS



CRC 5.56

400g Aerosol

CRC 5-56 is a multi purpose lubricant that has superior penetrating power that breaks through rust and corrosion while it cleans away scale and dirt. Eliminates the need for many disassembly operations. Protects metals against corrosion and displaces moisture to help start wet engines.



Code: CRC5.56

CRC 808 Silicone Spray

330g Aerosol

CRC 808 Silicone Spray is a concentrated formula that provides a thin, durable, odourless film that revives, lubricates, waterproofs and protects. It will not mark or stain and is ideal for use on all metal, plastic, rubber fabric, wood and painted surfaces. CRC 808 Silicone spray lubricates door locks, hinges, linkages, window guides and brushes. It reduces friction and galling even on metal surfaces. Ideal for in-plant conveyors, guides and rails, mould release, rolling and sliding mechanisms.



Code: CRC808

CRC 2.26

450g Aerosol

Improves electrical properties. CRC 2.26 displaces and seals out moisture, prevents corrosion, cleans, lubricate and penetrates. CRC 2.26 is a stable, inert organic formula, especially prepared to prevent and repair electrical failures due to moisture, corrosion, dirt or friction.



Code: CRC226

CRC Electrical Quality Silicone

300g Aerosol

CRC Electrical Quality Silicone is a high-quality multi-purpose formula that lubricates, waterproofs and protects with a thin clear film that is non corrosive and non staining. It has a low surface tension which permits better coverage and deeper penetration. It has superior lubricity for metal to non-metal surfaces and is non hardening to help eliminate corrosion.



Code: CRC2094

INOX All Purpose Lubricant

300g Aerosol

- Displaces, Penetrates Lubricates & Protects
- Contains No silicon, acid, kerosene or dieselene
- Will not harm metal points or surfaces, plastic, paints, enamels, fibreglass, formica or neoprene seals.
- Doesn't dryout, gum up, become goeey or sticky.
- Doesn't wash off with water!
- Non-conductive, non-static, non-toxic, non-corrosive Non-staining.



Code: INOX

WD-40

425g Aerosol

- Stop squeaks.
- Drives out moisture.
- Cleans and protects.
- Loosens rusted parts.
- Frees sticky mechanisms.



Code: WD40

CRC Anti-Spatter - Welding

300g Aerosol

Eliminates the need to chisel, grind or wire brush after welding. Water based formula allows easy clean up without the use of solvent cleaners. Prevents spatter from adhering to surrounding metal surfaces during welding Contains no ODCs. Does not contain silicone Rust inhibiting additive prevents flash rust on on in-process and surrounding metal surfaces. Non-hazardous decomposition. Low odour



Code: CRC3033

3M 90 Hi-Strength Spray Adhesive

500g Aerosol

Ideal for mounting decorative laminates to tables, cabinets & shelving.

- High Bond Strength
- Quick Dry Time
- High Temperature Resistance



Code: ADHESIVE90

CARPENTERS PENCILS & PAINT BRUSHES

Carpenters Pencils
Medium Hard Red



Code: CP1

Lufkin Bricklayers Line



No.8 X 100M
Code: LBL100L LIME
Code: LBL100P PINK
Code: LBL100W WHITE

HAND CLEANERS

Super Grit Hand Cleaner

The combination of our popular "Waterless" hand cleaner and deep scrubbing fine polybead grains gives an added abrasive power for the removal of heavy grease and grime from the hands. Supa Grit effectively removes deeply embedded grease, oil, bitumen, paint, etc. It is ideal for use in heavy industrial applications. Contains lanolin.



Code: SG21 21kg drum

Orange Power Hand Cleaner

Orange Power Hand Cleaner with fine polybeads is a stiff hand cleaner containing lanolin and citrus oils. Orange Power removes the toughest grime, oil, paint, ink, silicones, metal stains and more. Also available in easy to use pump packs.



Code: HANDCLEANER5LTR 5L Pump Pack
Code: HANDCLEANER19KG 19kg Drum

Bags of Rags

Code: RAGS10KG Rags Coloured T Shirt 10kgs
Code: RAGSPUREWHI10KG Rags Pure White T Shirt 10kgs



PAINTBRUSHES & ROLLERS

Paintbrushes Economically Priced Brushes

Code	Description	Size
PB12	Paint Brush	12MM
PB25	Paint Brush	25MM
PB38	Paint Brush	38MM
PB50	Paint Brush	50MM
PB75	Paint Brush	75MM
PB100	Paint Brush	100MM




White Bristle range

- ◆ Wooden handle
- ◆ Economically priced
- ◆ Great for parts clean up
- ◆ Suitable for applying adhesives
- ◆ Range of sizes to suit all applications

Baby Roller

Code	Description	Size
FR75	Foam Roller	75mm



Roller Frames

Mini Slide-on Frame - Suits all 100mm roller sleeves

Code	Description	Size
12031	Mini Roller Frame	100mm

Heavy Duty Trade Roller Frames

Code	Description	Size
12029	HD Roller Frame	230mm
12030	HD Roller Frame	270mm



Roller Covers

Mini Roller Covers

Code	Description	Size
12015	Foam Cover Pk 10	100mm
12002	Fabric Cover Pk 10	100mm



Polyester Roller Covers


Code	Description	Size
737	Oldfields Rough Surfaces Long Nap 20mm	270mm
12013	Phoenix Roller Cover 10mm Nap Pack of 3	230mm
12027	Phoenix Roller Cover 10mm Nap Pack of 3	270mm
12026	Phoenix Roller Tray Kit includes 1 Roller Cover	230mm
12027	Phoenix Roller Tray Kit includes 2 Roller Covers	270mm



HINGES


Butt Hinges Steel Fixed Pin Z/P

Code	A	B	Thickness	Box Qty
91915	35	28		20
91925	50	40	1.2	20
92145	63	42	1.6	20
91935	70	50	1.6	20
91945	85	60	1.6	20
92165	89	54	1.6	20
91955	100	75	1.6	20




Lift Off Radius Hinge Chrome Plated

Code	A	B	Thickness	Box Qty
Right Hand				
938290	89	57	1.6	2 Per Card
Left Hand				
938290	85	60	1.6	2 Per Card




Hinges Flush (Non-Mortice) Steel Fixed Pin Z/P

Code	OA	Thickness	A	B	C	Box Qty
19115	50mm	1.2	18	12	24	20
19135	75mm	1.6	30	19	44	20
19145	89mm	1.6	30	23	53	20
Brass Plated						
19134	75mm	1.6	30	19	44	20



Hinges Flush (Non-Mortice) Flat Back Steel Fixed Pin Z/P

Code	OA	Thickness	A	B	C	Box Qty
19255	100mm	2.0	35	23	62	20




Butt Hinges Radius Steel Loose Pin

ARS Code	Finish	Size MM	Box Qty
92165Z	Z/P	89 x 57	20
92165R	BP	89 x 57	20




Butt Hinges Stainless Steel 304 Fixed Pin

Code	A	B	Thickness	Box Qty
80019	50	38	1.2	20
80129	70	50	1.6	20
80139	85	60	1.6	20



Butt Hinges Stainless Steel 304 Fixed Pin


Code	A	B	Thickness	Box Qty
82139	85	60	2	10
F.P Button Tipped Sinter-Tube Bearing				
81459	100	100	3.2	2



HINGES


Stainless Steel Flush Hinge Fixed Pin With Sinter - Tube Bearing Grade 304

Code	OA	Thickness	A	B	C	Box Qty
29259	100mm	2.5	41	26	52	10



Gate Hinges Hot Dip Galv - Ball Bearing 16mm Pin Thickness - Double Butt

ARS Code	Description	Finish	Box Qty
17813	Left Hand	Gal	20
17823	Right Hand	Gal	20



Gate Latch "D" Pattern

The D pattern gate latch is used to securely lock outdoor gates.

ARS Code	Description	Finish	Box Qty
11503	73mm Latch Length	Gal	10



Hasp & Staples - Wire Pattern Z/P

ARS Code	Description	Finish	Box Qty
HWS38	38MM 30705	Z/P	20



Hasp & Staples - Safety Z/P

ARS Code	Description	Finish	Box Qty
86055	100MM x 34mm	Z/P	12



Hasp & Staples - Heavy Z/P

ARS Code	Description	Finish	Box Qty
HSHD200	200mm	Z/P	10



Cabin Hook and Eye Brass

ARS Code	Description	Finish	Box Qty
879290	75mm	CP	10
879490	150mm	CP	10



Screw Eyes & Hooks

ARS Code	Description	Finish	Box Qty
70475	3.70 x 51mm	Z/P	100
70155	4.80 x 46mm	Z/P	100



70475



70155

HARDWARE

Pad Bolts Single Eye Z/P With Square Keeper

ARS Code	Description	Finish	Box Qty
PB10100	10 x 100mm	Z/P	10

Chest Handle

ARS Code	Description	Finish	Box Qty
11605	75 x 100mm	Z/P	10

Hat and Coat Hook Oval Base 75mm Chrome Plated

ARS Code	Description	Finish	Box Qty
64819	75mm	C/P	20

Hat and Coat Hook Square Base 75mm Chrome Plated

ARS Code	Description	Finish	Box Qty
64809	75mm	C/P	20

Toilet Roll Holder Steel Chrome Plated

ARS Code	Description	Finish	Box Qty
31419	Holder	C/P	10

Toilet Indicator Bolt 60mm Chrome Plated

ARS Code	Description	Finish	Box Qty
35909	60mm	C/P	EA

Passage Set Knob Brush Nickel

ARS Code	Description	Finish	Box Qty
60871	Passage Set	B/N	EA

Privacy Set Knob Brushed Nickel

ARS Code	Description	Finish	Box Qty
608910	Privacy Set	B/N	EA

Entrance Set 9KA Brushed Nickel

ARS Code	Description	Finish	Box Qty
60861	Entrance Set	B/N	EA



HARDWARE

Angle Brackets Z/P

ARS Code	Description	Finish	Box Qty
AB2222	22x22x12x1.6mm	Z/P	1000
AB3838	38x38x16x1.6mm	Z/P	1000
16155	250x250x38x6mm	Z/P	1000



Round Cushion Door Stop 75mm

ARS Code	Finish	Box Qty
DOORSTOPW	White	50
DOORSTOPG	Grey	50



RATCHET TIE DOWN ASSEMBLIES

Ratchet Tie Downs

ARS Code	Width x Length	Description	Capacity
025HCS	25mm x 5m	S HOOK	750kg
038C6S	35mm x 6m	S HOOK	750kg
025HCSHK	25mm x 5m	Hook & Keeper	750kg
070212	35mm x 6m	Hook & Keeper	750kg
050ECI	50mm x 9m	Hook & Keeper	2500kg



Replacement Straps

PWC59I	50mm x 9m	Hook & Keeper	2500kg
---------------	-----------	---------------	--------



Clip on Ratchet Winch With Strap

BCR098	50mm x 9m	Hook & Keeper	2500kg
---------------	-----------	---------------	--------



Slide on Ratchet Winch With Strap

BSR09	50mm x 9m	Hook & Keeper	2500kg
--------------	-----------	---------------	--------

