

## SCREW DRIVER BITS - MAGNETISED

### PHILLIPS INSERT BITS

1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
PH125S	No.1	25	10	Magnetised		
PH225S	No.2	25	10	Magnetised		
PH325S	No.3	25	10	Magnetised		
PH332516I	No.3	32	10	Magnetised	5/16 Hex Shank	
PH425S	No.4	25	10	Magnetised		

### PHILLIPS DOUBLE ENDED POWER BITS

1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
PH245D	No.2	45	10	Magnetised		
PH265D	No.2	65	10	Magnetised		
PH275D	No.2	75	10	Magnetised		
PH2150D	No.2	150	10	Magnetised		

### PHILLIPS POWER BITS

1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
PH150S	No.1	50	10	Magnetised		
PH1100S	No.1	100	10	Magnetised		
PH250S	No.2	50	10	Magnetised		
PH275S	No.2	75	10	Magnetised		
PH2100S	No.2	100	10	Magnetised		
PH2150S	No.2	150	10	Magnetised		
PH2200S	No.2	200	10	Magnetised		
PH2250S	No.2	250	10	Magnetised		
PH350S	No.3	50	10	Magnetised		
PH375S	No.3	75	10	Magnetised		
PH3100S	No.3	100	10	Magnetised		
PH3150S	No.3	150	10	Magnetised		

### PHILLIPS REDUCED HEAD POWER BITS

1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
PHR250S	No.2	50	10	Magnetised		
PHR289S	No.2	89	10	Magnetised		

### PHILLIPS RIBBED POWER BITS

1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
PHR275SR	No.2	75	10	Magnetised		
PHR2100SR	No.2	100	10	Magnetised		



## IMPACT DRIVER BITS - THUNDERZONE

### PHILLIPS POWER BITS

1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty		Alpha Code	
PH225SI	No.2	25	10	Magnetised	PH25SSH	
PH250SI	No.2	50	10	Magnetised	PH250SSH	
PH275SI	No.2	75	10	Magnetised	PH275SSH	
PH2100SI	No.2	100	10	Magnetised	PH2100SSH	
PH2150SI	No.2	150	10	Magnetised	PH2150SSH	



## MAXDRIVE TORSION BITS

### PHILLIPS POWER BITS

1/4" HEX DRIVE



MAXDRIVE TORSION BITS absorb stress in their specially engineered "Dual Torsion Zone" and combined with a specially formulated coating relieve pressure on the tip of the driver bit, giving greater durability and less breakage. MAXDRIVE TORSION BITS are ideally suited to impact driving and will give exceptional performance with standard usage.

Code	Point Size	Length MM	Pack Qty		Alpha Code	
PH250ST	No.2	50	10	Magnetised	PH250ST	
PH275ST	No.2	75	5	Magnetised	PH275ST	
PH2100ST	No.2	100	5	Magnetised	PH2100ST	
PH2150ST	No.2	150	1	Magnetised	PH2150ST	

## SLOTTED POWER BITS

1/4" HEX DRIVE



Code	Screw Size	Length MM	Pack Qty			
SL350S	3-4	50	10	Magnetised		
SL550S	5-6	50	10	Magnetised		
SL650S	6-10	50	10	Magnetised		



**TRI-LOBULAR INSERT BITS**  
1/4" HEX DRIVE



Code	Length MM	Pack Qty			
TRI-LOB	25	10			

**TORX INSERT BITS**  
1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
TORX1025S	TX10	25	10	Magnetised		
TORX1525S	TX15	25	10	Magnetised		
TORX2025S	TX20	25	10	Magnetised		
TORX2525S	TX25	25	10	Magnetised		
TORX3025S	TX30	25	10	Magnetised		
TORX4025S	TX40	25	10	Magnetised		
480TX55	T-55	25	EA	5/16" HEX SHK		

**TORX POWER BITS**  
1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
TORX1075S	TX10	75	10	Magnetised		
TORX2050S	TX20	50	10	Magnetised		
TORX2075S	TX20	75	10	Magnetised		
TORX2550S	TX25	50	10	Magnetised		

**TORX SECURITY INSERT BITS - POST HOLE**  
1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
TORXSE825S	TX8	25	10	Magnetised		
TORXSE1025S	TX10	25	10	Magnetised		
TORXSE1525S	TX15	25	10	Magnetised		
TORXSE2025S	TX20	25	10	Magnetised		
TORXSE2525S	TX25	25	10	Magnetised		
TORXSE3025S	TX30	25	10	Magnetised		
TORXSE4025S	TX40	25	10	Magnetised		

**HEX DRIVE INSERT BITS**  
1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
HEX430S	4mm	30	10	Magnetised		
HEX530S	5mm	30	10	Magnetised		
HEX632S	6mm	32	10	Magnetised		

**HEX DRIVE POWER BITS**  
1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
HEX350S	3mm	50	10	Magnetised		
HEX450S	4mm	50	10	Magnetised		
HEX550S	5mm	30	10	Magnetised		

## SCREW DRIVER BITS - MAGNETISED

### SQUARE RECESS POWER BITS

1/4" HEX DRIVE



Code	Point Size	Length MM	Pack Qty			
SQ150S	1	50	10			
SQ250S	2	50	10			
SQ275S	2	75	10			
<b>Thundezone Impact Bit</b>						
SQ350S	3	50	10			



### MAGNETIC BIT HOLDERS - C-RING (One piece)

1/4" HEX DRIVE



Code	Insert Bit Size	Length MM	Pack Qty	OLD CODE		
MBHCS54	1/4"	54	10	40831		
MBHCS75	1/4"	75	10	27690		
<b>2 Piece</b>						
MBHC150	1/4"	150	10			
MBHC300	1/4"	300	10			

### QUICK RELEASE PRO BIT HOLDER - ALPHA

1/4" HEX DRIVE



MBHQR65	1/4"	65MM	EA			
MBHQR150	1/4"	150MM	EA			

## MAGNETIC SOCKETS



### HEX NUTSETTERS

1/4" HEX DRIVE



Code	Hex Size	Length MM	Pack Qty	OLD CODE		
NS1442	1/4"	42	EA	31450		
NS51642	5/16"	42	EA	31452		
NS3842	3/8"	42	EA	36165		
NS1465	1/4"	65	EA	37582		
NS51665	5/16"	65	EA	37583		
NS3865	3/8"	65	EA	37584		
<b>EXTRA LONG SOCKETS</b>						
NS516150	5/16"	150	EA			
NS516200	5/16"	200	EA			
NS516300	5/16"	300	EA			
NS38150	3/8"	150	EA			



# SCREW DRIVER BITS AND SETS



## POZI INSERT BITS - 1/4" HEX DRIVE

Code	Point Size	Length MM	Pack Qty			
PZ125S	1PZD	25	10	Magnetised		
PZ225S	2PZD	25	10	Magnetised		
PZ325S	3PZD	25	10	Magnetised		
<b>POZI Power Bits</b>						
PZ150S	1PZD	50	10	Magnetised		
PZ250S	2PZD	50	10	Magnetised		



## HEX TO SQUARE ADAPTOR



ADP14-65		65	EA	1/4" Hex to 1/4" Square	
ADP14-150		150	EA	1/4" Hex to 1/4" Square	
ADP38-50		50	EA	1/4" Hex to 3/8" Square	
ADP38-75		75	EA	1/4" Hex to 3/8" Square	
ADP12-70		70	EA	1/4" Hex to 1/2" Square	

## 33 PCE INSERT SET 1/4" HEX DRIVE



### CODE: RBT33

#### This set contains:

- 1xPH1, 6xPH2, 1xPH3 Phillips
- 1xPZ1, 1xPZ2, 1xPZ3 Pozidrive
- 1x1.5, 1x2, 1x2.5, 1x3, Metric Hex 2x4, 2x5, 1x6
- 1x4.5, 1x6 Slotted
- 1xT10, 1xT15, 1xT20, Torx 1xT25, 1xT27, 1xT30, 1xT40
- 1xSQ1, 1xSQ2, 1xSQ3 Square Recess
- 1 X Quick Release Bit Holder

## 100 PCE SECURITY SET 1/4" HEX DRIVE



### CODE: EW-100

#### This set contains:

- 6 x Fractional Hex Tamper Proof
- 8 x Phillips
- 8 x Pozidrive
- 10 x Fractional Hex
- 9 x Metric Hex
- 3 x Torq Set
- 4 x Spanner
- 9 x Slotted
- 6 x Metric Hex Tamper Proof
- 9 x Tamper Proof Torx
- 9 x Torx
- 4 x Triwing
- 3 x Spline
- 4 x Square Recess
- 3 x Clutch

1 x 1/4" Sq x 1/4" Hex 25mm Ext, 1 x 1/4" Sq x 1/4" Hex 50mm Ext  
1 x Magnetic Bit Holder, 1 x Socket Bit Holder, 1 x Wing Nut Driver.







## SHOCKPROOF MAGNETIC SCREWDRIVER HANDLE



Comes with 4 bits.

**CODE: 68888**

PAGE 95

## AIR FITTINGS - NITTO STYLE

DESCRIPTION	CODE	SIZE	NITTO No	PKT QTY	MATERIAL
<b>BSPT THREADED MALE PLUGS</b>					
	N20PM	1/4	20PM	1	
<b>BSPP THREADED FEMALE PLUGS</b>					
	20PF	1/4	20PF	1	
<b>BARBED MALE PLUGS</b>					
	30PH	3/8 Hose	30PH	1	
<b>BARBED MALE COUPLER</b>					
	30SH	3/8 Hose	30SH	1	

<b>BLOW GUN AIRBOY PISTOL GRIP</b>					
	00441830			1	PLASTIC
<b>AIRSAW BLADE18</b>	Reciprocating Saw Blade 18 TPI		EA		
<b>AIRSAW BLADE24</b>	Reciprocating Saw Blade 24 TPI		EA		

### Redback Teflon Tape

Redback Teflon Tape is the No.1 on the market, designed to replace irritating cheap and inferior tape. It doesn't fray when you tear it or come off the spool when under tension. Red Back Teflon is twice as thick as other brands which reduces the amount of tape required.



Code	Description	List Price
RED409	Roll	2.00



Quick change spring loaded sleeve.  
To suit Quickbits, Spade Bits & Screwdriver Bits

Code	Hex Size	Length MM	Pack Qty			
107QBE300	1/4"	300	EA			
107QBE450	1/4"	450	EA			
107QBE600	1/4"	600	EA			










# JIGSAW BLADES

## T SHANK

DESCRIPTION	CODE	USEABLE LENGTH MM	TOOTH SPACING MM	BLADES PER CARD	BOSCH CODE
<b>BASIC FOR WOOD</b>					
HCS hardwood, soft wood, plastics 4-50mm, for fast rough cuts.	<b>623632</b>	74	3	5	T111C
<b>CLEAN FOR WOOD</b>					
HCS Soft wood, chipboard, wood core plywood, fibre boards, plastics, clean cuts with plunge tip.	<b>623969</b>	74	1.5	5	T101B
HCS Hardwood, softwood, chipboard, wood core plywood, fibre boards, laminated boards, clean cuts, reverse tooth	<b>623650</b>	74	2.5 Reverse	5	T101BR
<b>EXTRA CLEAN FOR WOOD</b>					
HCS perfect, splinter-free cutting results on both sides, for fast cuts, Soft Wood. Caution:deactivate the pendulum action!	<b>623998</b>	93	2.2	5	T308B
<b>BASIC FOR METAL</b>					
HSS Thin sheet metal. 1-3mm, non-ferrous metals.	<b>623637</b>	51	1.2	5	T118A
HSS Thin sheet metal 1-3mm, non-ferrous metals, sandwich materials.	<b>623629</b>	106	1.2	5	T318A
HSS Steel sheets 0.5-1.5mm, non-ferrous metals.	<b>623636</b>	66	0.7	5	T118G
HSS Steel sheets, 2.5-6mm, non-ferrous metals.	<b>623638</b>	51	2	5	T118B
HSS Medium thick metal plate (2.5-6mm), non-ferrous metals	<b>623697</b>	106	2	5	T318B
<b>PROGRESSOR FOR METAL</b>					
BiM Thin to thick sheet metal (1.5-10mm), non-ferrous metals to 30mm	<b>623676</b>	74	1.4 - 2.6	5	T123X
<b>SPECIAL FOR ALUMINIUM</b>					
HSS Aluminium 3-15mm, non-ferrous metals 4-20mm, plastics, for quick cuts.	<b>623639</b>	74	3	5	T127D
<b>MAKITA SHANK</b> <small>clean wood</small>					
HCS Soft wood, chipboards, wood core plywood, fibre boards,plastics/epoxy.	<b>H4258703</b>	75	3	5	MA101BC

## SABRE SAW BLADES (RECIPROCATING BLADES)

DESCRIPTION	CODE	OVERALL LENGTH MM	TOOTH SPACING MM	BLADES PER CARD	APPLICATION THICKNESS MM
<b>FLEXIBLE FOR METAL</b>					
BiM thin sheet metal effortless, fine cut.	628268	100	1.41	5	0.7 - 3
					
BiM metal sheets (.7-3mm), pipes/profiles .5-100mm.	631080	150	1.4	2	.5 - 100
					
BiM metal sheets 3-8mm), pipes/profiles 10-175mm flush cuts.	631494	225	1.8	5	10 - 175
					
BiM metal sheets 1.5-4mm, solid pipes/profiles 5-175mm, flush cut.	631493	225	1.4	5	5 - 175
					
<b>WORKING IN WOOD WITH METAL</b>					
BiM wood with nails/metal 5-150mm, sheetmetal, pipes, profiles 3-18mm	631915	200	Progressive	5	5 - 150
					
BiM wood with nails, plastics, chipboards 3 - 175mm.	631097	225	1.8-2.6	2	5 - 175
					
<b>WORKING IN WOOD</b>					
HCS wood (even damp), firewood, for fast rough cut 15-190mm	631488	240	5	5	15 - 190
					

## HAND HACKSAW BLADES & FRAMES

BI METAL FLEXIBLE HSS	HBB1218	12"	300	18	100		
BI METAL HSS SUTTON	HBBH1224	12"	300	24	100		
BI METAL FLEXIBLE HSS	HBB1232	12"	300	32	100		



CODE: HF-506



CODE: HF-40T

