



SILICONE SEALANTS



CODE: SILICONE300T = Trans
SILICONE300G = Grey
SILICONE300B = Black
SILICONE300W = White
SILICONE300MB = Matt Black
300G TUBE

FulaSeal PRO™ 300 is a premium grade, neutral cure, 100% silicone sealant specially formulated for use in glazing, construction and industrial fabrication where a premium quality, non-corrosive sealant is required. FulaSeal PRO™ 300 combines a high level of resistance to temperature, weathering, and UV exposure with excellent adhesion, flexibility and durability. FulaSeal PRO™ 300 can also be used as an adhesive where a highly flexible, waterproof, high temperature resistant bond line is required. Is AS4020-2005 Potable Water Approved.

Substrates: Ceramic, Glass, Concrete, Plasterboard, Timber, Metal, Steel Inc. Stainless, Zinc/Galvanised Steel Aluminium and Some plastics (pre-test).



CODE: SILICONE780A = Aluminium
300G TUBE

FulaSeal™ 780 Plumbers Silicone Sealant is a non-corrosive neutral cure sealant that can be used on a wide range of substrates. It is ideal for roofing applications, exterior cladding, guttering, flashing, downpipes, general plumbing and is compatible with drinking water storage systems.

Substrates: Steel, Aluminium, Zinc/galvanised steel, Masonry, Ceramic, Lead, Fibreglass, Plasterboard, Terracotta, Many plastics (pre-test) and Glass.



CODE: SILICONE770T = Translucent
SILICONE770W = White
300G TUBE

FulaSeal™ 770 Sanitary Silicone Sealant is a premium quality, 100% silicone sealant specifically designed for use in wet areas where a neutral cure sealant is required that contains a mould and mildew inhibitor. FulaSeal™ 770 Sanitary Silicone a professional quality wet area sealant that provides excellent adhesion and is suitable for contact with aluminium shower screens and other substrates susceptible to corrosion.

Substrates: Steel inc stainless, Aluminium, Galvanised steel, Masonry, Ceramic, Zincalume, Laminated Plastic, Glass, Fibreglass and Many plastics (pre-test).



CODE: SILICONE740W = White
300G TUBE

FulaSeal™ 740 Bathroom & Kitchen Silicone Sealant is specifically designed for use in wet area joint sealing applications involving non-porous surfaces commonly found in bathrooms, kitchens and laundries, such as porcelain, glass and ceramic tiles. FulaSeal™ 740 is acetic cure.

Substrates: Vitreous china, Glass, Timber, Ceramic tiles, Fibreglass, Baked enamel surfaces, Plasterboard, Stainless and many plastics (pre-test).



SEALANTS & ADHESIVES




CODE: SILICONEOW = Off White

300G TUBE

All Purpose Silicone is a very versatile flexible sealant and adhesive that can be used for a wide range of applications. It offers excellent adhesive properties, flexibility, waterproofing and temperature resistance that makes it ideal for sealing a variety of surfaces and materials from roofs and gutters to bathroom tiles.

All Purpose Silicone includes a mould inhibitor making it ideal for wet areas. Neutral cure sealant.

Substrates: Steel, Aluminium, Galvanised iron, Timber, Brick, Concrete, Masonry, Glass, Fibreglass and Ceramic tile.



CODE: TOOLBOXBLACK= Black

TOOLBOXWHITE= White

400G TUBE



CODE: TOOLBOXW600 = White

600ML SAUSAGE

Tool Box™ Original is a high performance multi-purpose adhesive and sealant in one based on MS polymer technology. Tool Box™ Original cures to form a high strength, permanently flexible waterproof bond adhering to a wide variety of materials. It performs the function of both a high strength adhesive as well as a highly durable joint sealant. Tool Box™ Original provides a non-hazardous alternative to traditional polyurethane elastomeric adhesive/sealants and is a true 'tool box' in a cartridge.

Substrates: Concrete, Fibre cement sheeting, Masonry/brick, Cement tiles, Glass/standard mirrors, Porcelain, Steel inc stainless, Zinc/galvanised steel, Aluminium, Polystyrene, Plasterboard, Timber, Fibreglass, Acrylic, ABS.



CODE: TOOLBOXINVISIBLE = Clear

290ML TUBE

Tool Box™ Invisible is a clear multi-purpose hybrid polymer adhesive and sealant with outstanding clarity.

Tool Box™ Invisible is ideal for creating invisible seals and for bonding a wide variety of materials to create a durable, high strength, waterproof bond-line.

Substrates: Concrete, Fibre cement sheeting, Steel inc galvanised, Aluminium, Glass, Timber, Plasterboard, Polystyrene, Most plastics and rubbers (pre test).



CODE: TOOLBOXHT = White

290ML TUBE

Tool Box™ High Tack is a high modulus, elastomeric hybrid polymer adhesive/sealant with superior instant grab strength. Its high aggressive tack makes it ideal for bonding heavy objects and eliminates the need for mechanical fixing, bracing or propping during the curing process.

Substrates: Concrete, Fibre cement sheeting, Masonry/brick, Cement tiles, Glass/standard mirrors, Porcelain, Steel inc stainless, Zinc/galvanised steel, Aluminium, Polystyrene, Plasterboard, Timber, Fibreglass, Acrylic, ABS.



CONSTRUCTION ADHESIVES & SEALANTS



CODE: NONAILSHBF

300G TUBE

Fuller Trade Construction Adhesive is a multi-purpose adhesive ideal for bonding most common building materials. Fuller Trade Construction Adhesive is compatible with most common construction substrates

Substrates: Concrete, Fibre cement sheeting, Masonry, Metal, Timber, Particleboard, Plywood, Plasterboard, Ceramic Tiles, Glass, Fibreglass.



CODE: COOLROOMHB840NS

460G TUBE

FulaSeal PRO™ 840NS is a non-skinning and non-corrosive polybutene based sealant, designed specifically for small joints in cool room installation. FulaSeal PRO™ 840NS is also suitable for concealed lap joints between plastics, metals and a wide range of common substrates.

Substrates: Metal inc. coated metals, Steel inc. stainless, Galvanised steel, Aluminium, Sandwich Panels, Alucobond, Zinalume, Plastics (pre-test), Polystyrene, Fibreglass, Timber.



CODE: GAPSEAL = White

450G TUBE

Fuller Trade Gap Filler is a general purpose water based acrylic gap filler, suitable for use on interior and exterior areas prior to painting. It offers excellent adhesion properties suitable for sealing gaps and low movement joints. Fuller Trade Gap Filler can be used on: Skirting boards, Architraves, Plasterboard, Window and door frames.

Substrates: Brick, Concrete, Masonry, Fibre cement sheeting, Plasterboard, Aluminium, Ceramic, Timber, Particleboard Polystyrene.



CODE: SILICONEFIREG = Grey

450G TUBE



CODE: SILICONEFIREG600 = Grey

600ML SAUSAGE

Firesound™ Fire Rated Acoustic Sealant is a premium quality, flexible construction sealant formulated to perform as a barrier to the passage of both fire and sound through construction joints and service penetrations in concrete, aerated concrete, block work, brickwork and fire-rated plasterboard.

Substrates: Concrete, Aerated concrete, Mortar, Brick, Masonry, Fire rated plasterboard, Aluminium, Steel inc. stainless, Zinc/galvanised steel, Cable coverings (PVC).



PERFORMANCE SEALANTS



CODE: FULAFLEX550LMB = Black
 FULAFLEX550LMG = Grey
 FULAFLEX550LMW = White
 310ML TUBE



CODE: FULAFLEX550LMB600 = Black
 FULAFLEX550LMG600 = Grey
 FULAFLEX550LMW600 = White
 600ML SAUSAGE

FulaFlex™ 550LM is a one component moisture-curing low modulus Class A polyurethane sealant with excellent joint movement capabilities. It cures to form a flexible, durable and weather proof sealant and exhibits excellent adhesion to a wide range of common construction substrates. FulaFlex™ 550LM is paintable and satisfies the requirements for the Green Building Council of Australia (GBCA).

Substrates: Concrete, Fibre cement sheeting, Ceramic, Masonry, Brick, Plasterboard, Metal, Timber
 Steel inc. stainless, Zinc/galvanised steel, Aluminium (uncoated)*,

* pre-test powder coated aluminium surfaces due to the wide range of available coatings



CODE: FULAFLEX650FCW = White
 420G TUBE



CODE: FULAFLEX650FCB600 = Black
 FULAFLEX650FCG600 = Grey
 FULAFLEX650FCW600 = White
 600ML SAUSAGE

Fulaflex™ 650FC is a high performance, solvent free, moisture curing hybrid polymer construction and industrial adhesive/sealant that provides a non-hazardous alternative to traditional polyurethane adhesive/sealants. It cures to form a seal that is tough, elastic and weatherproof with good chemical resistance. FulaFlex™ 650FC is a high modulus product ideal in bonding applications where differential expansion and contraction are anticipated. FulaFlex™ 650FC is paintable

Substrates: Concrete, Fibre cement sheeting, Masonry/brick, Ceramic, Steel/stainless, Zinc/galvanised steel
 Aluminium, Polystyrene, Plasterboard, Timber, Particleboard, Polystyrene, Many plastics (pre test).



CODE: FULAFLEX625G = Grey
 440G TUBE

FulaFlex™ 625 is a construction grade joint sealant suitable for expansion joints in large structures, joints in precast concrete elements and general sealing applications. With superior permanent flexibility, FulaFlex™ 625 is a low VOC premium sealant that is tough, weatherproof, paintable and easy to apply in both interior and exterior applications. Ideal for sealing expansion & control joints in tiling, roof & wall penetrations up to 35mm. Sealing door and window frame perimeters, cladding and brickwork joints.

Substrates: Concrete, Fibre cement sheeting, Masonry/brick, Ceramic, Steel/stainless, Zinc/galvanised steel
 Aluminium, Polystyrene, Plasterboard, Timber, Particleboard, Polystyrene, Many plastics (pre test).

Foam Fillers



CODE: 15019420 - FulaFoam 750ml with straw nozzle

CODE: 15019467 - FulaFoam Pro 750ml gun applied foam

FulaFoam™ Expanding Foam is a triple expanding, general purpose polyurethane foam designed to fill large gaps, holes and cavities. FulaFoam™ Expanding Foam can be used internally and externally, bonds to most common construction materials to provide an airtight, moisture resistant seal with excellent thermal insulation properties. Ideal for sealing holes, around plumbing and electrical penetrations through walls and floors, filling wide gaps and cracks around window frames. Also for sealing against draughts, moisture and noise.

Substrates: Concrete, Brick, Fibre cement sheeting, Timber, Plywood, Particleboard, Plasterboard, Fibreglass, Zinc/galvanised steel, Steel inc. stainless, Aluminium



CODE: FOAMFULAFIRE - FulaFoam FR 750ml with straw nozzle

FulaFoam™ Fire Resistant Expanding Foam is a single component, fire resistant polyurethane expanding foam filler. FulaFoam™ Fire Resistant can provide up to 3 hours fire resistance (appraised to AS1530.4) and provides high acoustic insulation. FulaFoam™ Fire Resistant will not shrink during curing and will provide an air- and smoke-tight seal. The cured foam can be cut, sanded, plastered or painted.

Substrates: Concrete, Mortar, Fibre cement sheeting, Timber, MDF, Particleboard, Steel inc. stainless, Zinc/galvanised steel, Aluminium, Plasterboard, Fibreglass, Ceramics

CODE: 85001662 - Economy Foam Gun

CODE: FOAMCLEANERFULA - 500ml Can



The H.B Fuller foam dispensing applicator gun is designed to fit all Pro Gun series cans including Max Bond Pro Gun Construction Adhesive and FulaFoam Pro Gun Expanding PU Foams. Engineered for long term use, with proper care and cleaning, the foam applicator gun is sure to last.



FulaFoam™ Cleaner is a solvent based cleaner for cleaning uncured or fresh polyurethane from applicator guns, tools and other surfaces. FulaFoam™ Cleaner can be used to clean applicator guns used for FulaFoam Pro and Max Bond Pro gun-applied foams and adhesives.

CAULKING GUNS



Easy Squeeze Caulking Gun

For most adhesive and sealant products the Easy Squeeze Caulking Gun is perfect. The skeleton body makes changing cartridges quick and easy and the 7:1 compression ratio makes dispensing adhesives and silicones a breeze.

CODE: SILICONEGUNL



Tough Red Cartridge Gun

Designed for long term use especially when working with adhesives and sealants that are high grab or highly viscous. The 18:1 compression ratio makes dispensing easier and reducing hand fatigue.

CODE: SILICONEGUNHD



Sausage Barrel Caulking Gun

Engineered for trade using quality materials and components with ergonomics, performance and reliability in mind. The cast frame/handle assembly will not deform with prolonged use and the trigger offers a smooth action for clean bead application.

CODE: SILICONEGUN600



SILICONE SEALANTS



CODE: ADHESIVEMAXBOND - 500ml Can

Max Bond Spray Grip™ is a general purpose contact adhesive that bonds to a wide variety of substrates. Spray Grip™ offers high initial bond strength for instant results and is suitable for fast bonding applications without the need for clamping. Ideal for adhering breathable building insulation wrap. Bonding metal edge bead to plasterboard. Bonding fibre reinforced laminate to plasterboard, bonding and laminating involving MDF, etc.

Substrates: Metals, MDF & Plywood, Plasterboard, Acrylic, Synthetic leather, Fibre reinforced laminates, Polyurethane foam, Paper/Cardboard, Many plastics (Pre-test), Fabric (Pre-test), Rubber (Pre-test).



CODE: DUCTSEAL3219 = Grey

450G TUBE

Foster 32-19 Duct-Fas Duct Sealant is a fire resistive, water based, indoor/outdoor, U.V. resistant, non-fibrated sealant for use on high velocity ducts to form a flexible yet durable seal against air leakage. Foster Duct-Fas Duct Sealant has been specially formulated for ease of application, clean "break-off", and nonslumping at elevated temperatures. Ideal for sealing ASJ, FRK, and FSK jackets Sealing board facings at joints, laps, over staple and weld pin punctures. Sealing flexible air ducts to rigid connectors Ideal for use as a joint sealant with polystyrene insulation.

Substrates: Zinc/galvanised steel, Aluminium, Polystyrene.



CODE: 10016685 = 1kg Can

10016690 = 2kg Can


FulaFill™ Swift Multi Surface Builders Bog is a versatile two-part polyester filler. It mixes, applies, and sands effortlessly, making it ideal for filling gaps, cracks, holes, and other imperfections in most common building materials where no movement is expected. Once cured, FulaFill™ Swift Builders Bog can be painted, sanded, chiselled, planed, filed, nailed, screwed, or routed.

Substrates: Timber, MDF, Fibreglass, Particleboard, Most metals, Steel, Aluminium, Fibre cement sheeting, Masonry, Concrete, Plasterboard, Ceramics.

SEALANTS - POLYURETHANE ADHESIVES



Sikaflex® - PRO High Strength Polyurethane Sealant



CODE

SIKAFLEXPROB300 = Black
SIKAFLEXPROG300 = Grey
SIKAFLEXPROW300 = White
310ml Tube

Sikaflex® - PRO is a multipurpose permanently elastic sealant that provides excellent adhesion while allowing high flexibility for accommodating joint movement. For bondind applications use Siksflex 11FC.

- Expansion joints in buildings
- Construction joints
- Joints in precast concrete elements
- External walling and cladding joints
- Infill panel joints
- Curtain walling
- Sanitary installations
- Sealing around window and door frames
- Flexible draught proofing
- Sealing penetrations in walls or floors for ducts, piping etc

Sikaflex® - PRO SAUSAGES 600ml



CODE

SIKAFLEXPROB600 = Black
SIKAFLEXPROG600 = Grey
SIKAFLEXPROW600 = White
600ml Sausage

Sikaflex® - 11FC 1-Part Elastic Joint Sealant & Multipurpose Adhesive



CODE

SIKAFLEX11FCB300 = Black
SIKAFLEX11FCG300 = Grey
SIKAFLEX11FCW300 = White
310ml Tube

Sikaflex® - 11FC is a one part, moisture curing, elastic joint sealant and multipurpose adhesive based on polyurethane for indoor and outdoor applications.

Sikaflex® - 221 One Comonent Adhesive Sealant



CODE

SIKAFLEX221B300 = Black
310ml Tube

Sikaflex® - 221 is a high-quality multipurpose non-sag 1-C polyurethane sealant that cures on exposure to atmospheric humidity to form a durable elastomer.

Sikaflex® - 252 Assembly Adhesive



CODE

SIKAFLEX252W300 = White
310ml Tube

Sikaflex® - 252 is suitable for structural joints that will be subjected to dynamic stresses. Suitable substrate materials are timber, metals, particularly aluminium, sheet steel, ceramic materials and plastics.

SEALANTS - POLYURETHANE ADHESIVES

Sikaflex® - Aktivator-100

Sikaflex® - Aktivator-100 is an activating agent to improve adhesion.

It is specifically formulated for the treatment of bond faces prior to application of various Sika polyurethane adhesives.

CODE

SIKA-AKTIV100

Bottle 1ltr

